



PRODUCT NUMBER  
20020620-MXXXXXXLF

20020620-□ □ □ □ A 0 □ L F

PITCH  
M: 7.62 mm

POLES  
02: 2 POLES  
03: 3 POLES  
04: 4 POLES  
16: 16 POLES

LF : DENOTED RoHS COMPATIBLE

1 : STANDARD PRODUCT  
W/ BOX PACKING

HOUSING CODE

PROPERTY TABLE	
FCI SERIES NAME	07-762
PITCH (mm)	7.62
VOLTAGE RATING (VAC)	300
CURRENT RATING (A)	32
WITHSTANDING VOLTAGE (kV)	1.6
OPERATING TEMP. (°C)	-40~+115
SOLDERING TEMP. (°C)	250±10 (5 sec.)
POLES AVAILABLE	02~16
SAFETY CERTIFICATE	

CODE	COLOR	AVAILABILITY
1	GREEN(RAL 6018/T)	STANDARD
2	BLACK	ON REQUEST ONLY
3	GREY(RAL 7004/P)	ON REQUEST ONLY
4	BLUE(RAL 5015/A)	ON REQUEST ONLY

NOTES:

MATERIALS

- 1-1 HOUSING: THERMALPLASTIC RESIN, UL 94V-0 RATED.
- 1-2 TERMINAL: COPPER ALLOY, TIN PLATED.

- 2. PRODUCTION SPECIFICATION REFER TO FCI GS-12-625.
- 3. BOXED PACKAGING.  
DETAILED PRODUCT PACKING SPECIFICATION REFER TO FCI GS-14-1394.
- 4. FCI, SAFETY CERTIFICATE LOGO AND SERIES NAME TO BE SHOWN ON PRODUCT SURFACE.
- 5. THE PRODUCTS WHERE THE PART NUMBER END IN "LF" MEET THE EUROPEAN UNION DIRECTIVE AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 6. RECOMENDED SOLDERING PROCESS BY WAVE SOLDER.

mat'l. code				surface ASME Y14.5		tolerance ASME Y14.5		projection		product family TERMINAL BLOCK	
ltr				ecn no		dr		date		title	
A				0609-0203		BF		062509		TERMINAL BLOCK	
B				T09-1148		BF		111709		PLUGGABLE SOCKET, STRAIGHT	
C				T10-0042		WL		030310		scale	
D				T10-0159		WL		100410		dwg no	
E				T10-0187		WL		121410		sheet 1 of 2 size	
						dr		BEER FU		20020620	
						enr		BEER FU		A4	
						chr		GARY HSIEH		type	
						appd		JOSEPH HSIA		CUSTOMER Drawing	
sheet index				revision sheet		E		E			
				1		2					







1 | 2

3 |

4

PRODUCT NUMBER	SERIES NAME	PITCH
20020620-MXXXXXXLF	07-762	7.62 mm



N = Number of poles  
 Dim L =  $N \times 7.62 [0.300]$   
 Dim B =  $(N-1) \times 7.62 [0.300]$

TOL.	Dim L	Dim B
2-5p	$\pm 0.20 [0.008]$	
6-10p	$\pm 0.25 [0.010]$	
11-13p	$\pm 0.35 [0.014]$	
14-16p	$\pm 0.40 [0.016]$	

Section C-C

mat'l. code		surface ASME Y14.5	tolerance ASME Y14.5	projection 	product family TERMINAL BLOCK
ltr	ecn no	dr	date	title TERMINAL BLOCK PLUGGABLE SOCKET, STRAIGHT	
E				angles X±0.5 X.X±0.3 X.XX±0.1	scale MM [INCH]
		dr	BEER FU	062509	
		enr	BEER FU	062509	
		chr	GARY HSIEH	062509	
		appd	JOSEPH HSIA	062509	
sheet index	revision sheet				dwg no 20020620 sheet 2 of 2 size A4 type CUSTOMER Drawing