


PRODUCT NUMBER

Α





3. PIN MATERIAL:
PHOSPHOR BRONZE.
4. PLATING ON PRESS-FIT TAIL AREA SnPb. PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE BELOW.

PART NUMBER DESIGNATION & BATCH I.D. 6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER.

PRODUCT MARKING:

EXAMPLE: XXXXX-XXXP 7. PRODUCT MAY ALSO BE AVAILABLE WITH AN ALTERNATIVE PRESS-FIT SECTION. THE PART NUMBERS FOR THIS ALTERNATIVE PRODUCT WILL BE THE SAME AS THE BASE NUMBERS SHOWN IN SUBSEQUENT TABLES WITH THE ADDITION OF THE SUFFIX "H". EXAMPLE: XXXXX-XXXH

PLATING	IN CONTACT AREA
DASH NUMBER	PERFORMANCE LEVEL
- I Y Y	TELCORDIA CO
-244	TELECOM CLASS
- 3 Y Y	IEC CLASS I
- 5YY	TELCORDIA UE
- 9 Y Y	0.76µm GXT

mat'l code								inces u			Cι	STOM	ER	ELECTRON					ІИС	cs	
Itr	ecn	no.	dr	do	ate			0.X ±0.3				COPY			FCI www.fcicon					onnect.	com
U	V02	563	JWS	10/2/00		linear	0.XX ±0.13				projection		title	МЕ	TDAI	SIG	MAI	ED	. D		
٧	V10180		LSS	01/25/01			. XXX ±. (E.051					METRAL SIGNAL HEADER 2 MOD. 4 ROW PRESS-FIT						
W	۷۱۱	017	TAB	04/1	7/01	angles	s 0° ±2°							Z MOD, 4 NOW FRESS-FIT							
Х	۷۱۱	701	CGD	06/20/01		dr	T.BRUNGARD		11/19/99		MM		product family METRAL code								
					engr	M.STRAWSER		R		- TV V		size	dwg no 2					13			
						chr	M.STRAWSER		R		scale			$ \Lambda $	70233				she	sheet	
						appd	M.STRAWSER		02/29/00		2:1		LA_	10200				1 0	f 8		
sh	sheet		on	X	X	X	X	X	X	X	X										
inc	index			1 2		3	4	5	6	7	8										
				P	ro/E							3			cag	e code	2	252	6	,	4

3 |

1 2

1|2

PDM: Rev:X


STATUS: Released

В

Printed: Apr 05, 2002

22526

В



PDM: Rev:X STATUS:Released

US:**Released** Printed: Apr (

Printed: Apr 05, 2002

. Reproduction ou communication a des tiers ce soit sans autorisation ecrite du propietaire, reproduction FCI. ves. que forme of Droits Tous droits strictement interdite sous quelque fo Propriete de c FCI. Dr

U L

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD MOD. MOD. P/N P/N P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 1 2 3 4 5 6 7 8 9 10 11 12 D 3 3 3 3 3 3 3 3 3 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 2 2 70233-X15 70233-XI0 70233-X20 2 2 2 2 2 2 2 2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 6 6 6 6 6 6 6 6 6 A 3 3 3 3 3 3 3 3 3 3 3 3 A 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD MOD. P/N P/N P/N 1 2 3 4 5 6 7 8 9 10 11 12 ROW | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 1 | 12 1 2 3 4 5 6 7 8 9 10 11 12 D 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 D c | 2 | 2 | 2 | 2 | 2 | 2 | 2 2 2 2 2 2 2 | 5 | 5 | 5 | 5 | 5 | 5 | 5 5 5 5 5 5 С 70233-XII 70233-X16 70233-X21 5 | 5 | 5 | 5 | 5 | 5 | 5 | 5 5 5 5 5 CONTACT CODE CONTACT CODE MOD. I CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD. P/N P/N P/N 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 D C 2 2 2 2 2 2 2 2 2 2 2 5 5 5 5 5 5 5 5 5 5 5 5 5 С 70233-X12 70233-X17 70233-X22 5 | 5 | 5 | 5 | 5 | 5 | 5 5 5 A 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD MOD. P/N P/N P/N ROW 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12 С 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |6|6|6|6|6|6|6|6 6 6 70233-XI3 70233-X18 70233-X23 В 2 2 2 2 2 2 2 2 2 2 2 2 2 2 В 6 6 6 6 6 6 6 6 6 6 6 CONTACT CODE CONTACT CODE CONTACT CODE MOD. I MOD. 2 MOD. 2 MOD. 2 METRAL MOD. METRAL METRAL P/N P/N P/N ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 1 2 3 4 5 6 7 8 9 10 11 12 3 3 3 3 3 3 3 3 3 70233-X14 70233-X19 70233-X24 B 3 3 3 3 3 3 3 3 3 3 3 3 3 В 7 7 7 7 7 7 7 7 7 7 7 7 7 A 8 8 8 8 8 8 8 8 8 8 8 8 8 8 mat'l code tolerances unless CUSTOMER **ELECTRONICS** otherwise specified COPY www.fciconnect.com ecn no. dr date 0.X ±0.3 projection linear 0.XX ±0.13 METRAL SIGNAL HEADER .XXX ±.051 2 MOD, 4 ROW PRESS-FIT angles 0° ±2° T.BRUNGARD METRAL 11/19/99 code MM product family 213 M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale 70233 sheet chr appd M.STRAWSER 02/29/00 revision sheet index sheet

Pro/E

1 | 2

1 2

PDM: Rev:X

STATUS: Released

3 l

cage code

3

Printed: Apr 05, 2002

4

22526

В

Reproduction ou communication a des tiers ce soit sans autorisation ecrite du propietaire, reproduction FCI. wes. Tous droits strictement reser interdite sous quelque forme Propriete de c FCI. Droits

U Ŀ

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD MOD. MOD. P/N P/N P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 | | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 ROW 1 2 3 4 5 6 7 8 9 10 11 12 ROW 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 D 9 9 9 9 9 9 9 9 9 9 9 9 101010101010101010101010 70233-X30 70233-X25 70233-X35 101010101010101010101010 որվարվարվարկանվա hdalahdalahdalahdalah CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD MOD. P/N P/N P/N ROW | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 1 | 12 1 2 3 4 5 6 7 8 9 10 11 12 | | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | 0 | | 1 | 2 |10|10|10|10|10|10|10|10|10|10|10|10 D c |9|9|9|9|9|9 9 9 9 9 9 9 |10|10|10|10|10|10|10|10|10|10|10|10 70233-X26 70233-X31 70233-X36 9 9 9 9 9 9 |10|10|10|10|10|10|10|10|10|10|10|10 |10|10|10|10|10|10|10|10|10|10|10|10 |6|6|6|6|6|6|6 A | 9 | 9 | 9 | 9 | 9 | 9 9 9 9 9 9 9 CONTACT CODE CONTACT CODE MOD. I CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD. P/N P/N P/N ROW | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 1 2 3 4 5 6 7 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12 halalalalalalalalalalala | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 C | 9 | 9 | 9 | 9 | 9 | 9 | 9 9 9 9 9 9 9 |10|10|10|10|10|10|10|10|10|10|10|10 C | 6 | 6 | 6 | 70233-X27 70233-X32 70233-X37 B | 9 | 9 | 9 | 9 | 9 | 9 9 9 9 9 9 9 |10|10|10|10|10|10|10|10|10|10|10|10 A 9 9 9 9 9 9 9 9 9 9 9 9 CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD MOD. P/N P/N P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 1 2 3 4 5 6 7 8 9 10 11 12 rahada da d C 101010101010101010101010 С | 9 | 9 | 9 | 9 | 9 | 9 | 9 | 9 9 9 9 9 9 70233-X28 70233-X33 70233-X38 В 9 9 9 9 9 9 9 9 9 9 9 9 CONTACT CODE MOD. I CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. 2 MOD. METRAL METRAL METRAL P/N P/N P/N 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 8 8 8 8 8 8 8 8 8 8 12 12 12 12 12 12 12 12 12 12 12 12 12 70233-X29 70233-X34 70233-X39 12 12 12 12 12 12 12 12 12 12 12 12 12 В 8 8 8 8 8 8 8 8 8 8 8 8 8 В A 8 8 8 8 8 8 8 8 8 8 8 8 8 8 A 12 12 12 12 12 12 12 12 12 12 12 12 12 A 12 12 12 12 12 12 12 12 12 12 12 12 12 mat'l code tolerances unless CUSTOMER **ELECTRONICS** otherwise specified COPY www.fciconnect.com ecn no. dr date 0.X ±0.3 χ projection linear 0.XX ±0.13 METRAL SIGNAL HEADER .XXX ±.051 2 MOD, 4 ROW PRESS-FIT angles 0° ±2° T.BRUNGARD METRAL 11/19/99 code MM product family 213 M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale 70233 sheet chr bage M.STRAWSER 02/29/00 revision sheet

index

1 2

sheet

Pro/E

1 | 2

PDM: Rev:X

STATUS: Released

3 l

cage code

3

Printed: Apr 05, 2002

4

22526

В

Reproduction ou communication a des tiers ce soit sans autorisation ecrite du propietaire, reproduction FCI. que de r Tous droits strictement reser-interdite sous quelque forme Propriete de c FCI. Droits

U L

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD MOD. I MOD. P/N P/N P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 ROW 2 С 70233-X45 70233-X40 70233-X50 4 4 4 4 4 4 4 4 4 4 4 4 3 3 3 3 3 3 3 3 3 3 3 3 3 A 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 A | 4 | 4 | 4 | 4 | 4 | 4 4 4 4 4 4 CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD MOD. P/N P/N P/N ROW | 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 D D ||e||e||e||e||e||e||e||e||e||e|| C 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 C 3 3 3 3 3 3 3 3 3 3 3 3 3 3 70233-X41 70233-X46 70233-X51 B 3 3 3 3 3 3 3 3 3 3 3 3 3 3 A 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD. P/N P/N P/N ROW | 1 2 3 4 5 6 7 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12 ROW 4 4 4 4 4 D | 4 | 4 | 4 | 4 | 4 | 4 | 4 D С 70233-X42 70233-X47 70233-X52 A 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD MOD. I P/N P/N P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 ROW 1 2 3 4 5 6 7 8 9 10 11 12 ROW 13 13 13 13 13 13 13 13 13 13 13 13 D 191919191919191919191919 С 3 3 3 3 3 3 3 3 3 3 3 3 70233-X43 70233-X48 70233-X53 B 3 3 3 3 3 3 3 3 3 3 3 3 3 В A 1919191919191919191919 Α 3 3 3 3 3 CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL MOD. METRAL MOD. METRAL P/N P/N P/N ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | ROW 2 2 С 3 70233-X44 70233-X49 70233-X54 B 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 8 B 3 3 3 3 3 3 3 3 3 3 3 3 3 3 В A 3 3 3 3 3 3 3 3 3 3 3 3 3 A 3 3 3 3 3 3 3 3 3 3 3 3 3 3

3

mat 'I			inces u			CUSTOMER				/_	ELECTRONICS											
Itr	ecn no. dr date						0.X ±0.3					COPY			F C	ı	www.fciconnect.com					
Х						linear	0.XX ±0.13						title			CIC	.r.p					
							.XXX ±.051] d) (1			METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT						
						angles	0° ±2°								Z 14	Z MOD, 4 NOW FRESS-FII						
					dr engr chr		M.STRAWSER		11/19/99		scale ;		produ	ict fan	family METRAL				code			
													size	dwg	dwg no				213			
															7 (ገ 2 ፡)233			et		
					appd	<u> </u>								10233			5		5			
sheet		revision																				
inc	index		sheet																			
				Pr	Pro/E							3				coge code 22526 4					4	

PDM: Rev:X

STATUS: Released

Printed: Apr 05, 2002

В

4

Α

MOD. 2

1 2

1 | 2

Reproduction ou communication a des tiers ce soit sans autorisation ecrite du propietaire, reproduction FCI. Tous droits strictement reserves. interdite sous quelque forme que Propriete de c FCI. Droits de r

U L

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD MOD. MOD. P/N P/N P/N 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 1 2 3 4 5 6 7 8 9 10 11 12 ROW 5 5 5 5 5 5 5 5 5 5 5 5 D 9 9 9 9 9 9 9 9 9 9 9 9 101010101010101010101010 6 6 6 6 6 6 6 6 101010101010101010101010 70233-X60 70233-X55 70233-X65 12 CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD MOD. I P/N P/N ROW | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 1 | 12 P/N 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 D 101010101010101010101010 |20|20|20|20|20|20|20|20|20|20|20 D 2121212121212121212121212121 D С 70233-X56 70233-X61 70233-X66 101010101010101010101010 halalalalalalalalalalalala halalalalalalalalalalalala CONTACT CODE CONTACT CODE MOD. I CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD. P/N P/N P/N ROW | 1 2 3 4 5 6 7 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12 |8|8|8|8|8|8|8|8|8|8|8|8 12 12 12 12 12 12 12 12 12 12 12 12 12 C 8 8 8 8 8 8 8 8 8 8 8 8 8 C | 9 | 9 | 9 | 9 | 9 | 9 9 9 9 9 9 9 70233-X57 70233-X62 70233-X67 15 15 15 15 15 15 15 15 15 15 15 B | 9 | 9 | 9 | 9 | 9 | 9 9 9 9 9 15 15 15 15 15 15 15 15 15 15 15 15 CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD P/N P/N P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 1 2 3 4 5 6 7 8 9 10 11 12 15 15 15 15 15 15 15 15 15 15 15 15 20|20|20|20|20|20|20|20|20|20|20 21 21 21 21 21 21 21 21 21 21 21 21 21 20 20 20 20 20 20 20 20 20 20 20 20 С C 21212121212121212121212121 70233-X58 70233-X63 70233-X68 21 21 21 21 21 21 21 21 21 21 21 21 в пппппппппппппппппп A 20202020202020202020202020 21 21 21 21 21 21 21 21 21 21 21 21 21 CONTACT CODE CONTACT CODE MOD. I CONTACT CODE MOD. 2 MOD. 2 MOD. 2 METRAL MOD. METRAL METRAL P/N P/N P/N ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 1 2 3 4 5 6 7 8 9 10 11 12 |10|10|10|10|10|10|10|10|10|10|10|10 12|12|12|12|12|12|12|12|12|12|12 իվովովովովովոկալոլոլո lalalalalalalalalalalala 70233-X59 70233-X64 70233-X69 В 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 В A 7 7 7 7 7 7 7 7 7 7 7 7 7 7 mat'l code tolerances unless CUSTOMER **ELECTRONICS** otherwise specified COPY www.fciconnect.com ecn no. dr date 0.X ±0.3 χ projection linear 0.XX ±0.13 METRAL SIGNAL HEADER .XXX ±.051 2 MOD, 4 ROW PRESS-FIT angles 0° ±2°

1 | 2

PDM: Rev:X

11/19/99

11/19/99

11/19/99

02/29/00

MM

3 l

scale

STATUS: Released

product family

dwg no

cage code

size

3

Printed: Apr 05, 2002

code

213

6

4

В

sheet

METRAL

22526

70233

Α

T.BRUNGARD

M.STRAWSER

M.STRAWSER

M.STRAWSER

dr

engr

chr bage

Pro/E

revision

sheet

sheet

index

1 2

. Reproduction ou communication a des tiers ce soit sans autorisation ecrite du propietaire, reproduction FCI. ves. que forme of Droits Tous droits strictement interdite sous quelque fo Propriete de c FCI. Dr

U L

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD MOD. MOD. P/N P/N P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 1 2 3 4 5 6 7 8 9 10 11 12 4 4 4 4 4 4 4 4 4 4 4 4 D 2 2 2 2 2 2 2 2 2 2 2 2 D 8 8 8 8 8 8 8 8 8 8 8 8 8 2 2 2 2 70233-X75 70233-X70 70233-X80 2 6 6 6 6 6 6 6 6 6 A 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 A 3 3 3 3 3 3 3 3 6 6 6 6 6 6 6 6 6 6 6 CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD MOD. P/N P/N P/N ROW | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 1 | 12 1 2 3 4 5 6 7 8 9 10 11 12 | | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | | 0 | | 1 | 2 D 1919191919191919191919 D C 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 70233-X71 70233-X76 70233-X81 A ||19||9||9||9||9||9||9||9||9||9| | 3 | 3 | 3 | 3 | 3 | 3 CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD. P/N P/N P/N 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 1 2 3 4 5 6 7 8 9 10 11 12 C 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 C 3 3 3 3 3 3 3 3 3 3 3 3 3 3 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 70233-X72 70233-X77 70233-X82 8 8 8 8 8 8 8 8 8 8 8 8 A 20202020202020202020202020 A 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD MOD. P/N P/N P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12 С | 7 | 7 | 7 | 7 | 7 | 7 | 7 | 7 70233-X73 70233-X78 70233-X83 В 2 2 2 2 2 2 2 2 2 2 2 2 2 2 B | 3 | 3 | 3 | 3 | 3 | 3 3 3 3 3 3 3 6 6 6 6 6 6 6 6 6 6 6 6 CONTACT CODE CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL MOD. METRAL METRAL P/N P/N P/N ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 1 2 3 4 5 6 7 8 9 10 11 12 3 3 70233-X74 70233-X79 70233-X84 B 3 3 3 3 3 3 3 3 3 3 3 3 3 В 7 7 7 7 7 7 7 7 7 7 7 A 3 3 3 3 3 3 3 3 3 3 3 3 3 mat'l code tolerances unless CUSTOMER otherwise specified COPY ecn no. dr date 0.X ±0.3 χ projection linear 0.XX ±0.13 .XXX ±.051

www.fciconnect.com METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT METRAL code product family 213 size dwg no 70233 sheet cage code

22526

PDM: Rev:X

0° ±2° T.BRUNGARD

M.STRAWSER

M.STRAWSER

M.STRAWSER

angles

engr

chr bage

Pro/E

revision

sheet

sheet

index

STATUS: Released

3

MOD. 2

MOD. 2

MOD. 2

MOD. 2

| 7 | 7 | 7 | 7

MOD. 2

7 7 7 7 7

ELECTRONICS

Α

| 7 | 7 | 7 | 7

Printed: Apr 05, 2002

4

В

1 2

1 | 2

11/19/99

11/19/99

11/19/99

02/29/00

MM

3 l

scale

Reproduction ou communication a des tiers ce soit sans autorisation ecrite du propietaire, reproduction FCI. wes. Tous droits strictement reser interdite sous quelque forme Propriete de c FCI. Droits

U L

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Capyright FCI.

В

Α

CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD MOD. P/N P/N P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12 ROW 6 6 6 6 6 6 6 6 6 6 6 C 101010101010101010101010 6 6 70233-X90 70233-X85 70233-X95 101010101010101010101010 6 6 6 6 6 6 6 6 6 6 6 CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD MOD. P/N P/N ROW | | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 1 | 12 P/N ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |20|20|20|20|20|20|20|20|20|20|20 C 5 5 5 5 5 5 5 5 5 5 5 5 70233-X86 70233-X91 70233-X96 99999999999999 A 2020202020202020202020202020 CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD. MOD. P/N P/N P/N ROW | 1 2 3 4 5 6 7 8 9 10 11 12 1 2 3 4 5 6 7 8 9 10 11 12 С 70233-X87 70233-X92 70233-X97 B 2020202020202020202020202020 A 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 A 212121212121212121212121212121 CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 METRAL METRAL METRAL MOD P/N P/N P/N ROW 1 2 3 4 5 6 7 8 9 10 11 12 ROW 1 2 3 4 5 6 7 8 9 10 11 12 101010101010101010101010 5 5 5 5 5 5 5 5 5 5 5 С 5 5 5 5 5 5 5 5 5 5 5 5 70233-X88 70233-X93 70233-X98 В CONTACT CODE CONTACT CODE MOD. 2 MOD. 2 MOD. METRAL MOD. METRAL METRAL P/N P/N P/N ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 ROW | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 10|10|10|10|10|10|10|10|10|10|10|10 |6|6|6|6|6|6|6 70233-X89 70233-X94 70233-X99 B 6 6 6 6 6 6 6 6 6 6 6 В 11 11 11 11 11 11 11 11 11 11 11 11 В A 6 6 6 6 6 6 6 6 6 6 6 mat'l code tolerances unless CUSTOMER otherwise specified COPY ecn no. dr date 0.X ±0.3 χ projection linear 0.XX ±0.13 .XXX ±.051

1 | 2

1 2

ELECTRONICS www.fciconnect.com METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT angles 0° ±2° T.BRUNGARD METRAL 11/19/99 code dr MM product family 213 M.STRAWSER 11/19/99 size dwg no engr M.STRAWSER 11/19/99 scale 70233 sheet chr bage M.STRAWSER 02/29/00 8 revision sheet index sheet cage code 3 l Pro/E 22526 4

PDM: Rev:X

STATUS: Released

Printed: Apr 05, 2002

В