

ZB 6/OG:UNPRINTED


Order No.: 0812719

The illustration shows various versions of the article



<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=0812719>

Zack marker strip, Strip, orange, unlabeled, can be labeled with:
Plotter, Mounting type: Snap into tall marker groove, for terminal block
width: 6.2 mm, Lettering field: 6.15 x 10.5 mm

| Commercial data | |
|--------------------------|--|
| EAN |  4 017918 966232 |
| Note | Made-to-order |
| sales group | B101 |
| Pack | 10 Pcs. |
| Customs tariff | 39269097 |
| Gross weight in pieces | 0.001473 KG |
| Net weight per piece | 0.001273 KG |
| Catalog page information | Page 101 (NTK-2004) |

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

| Technical data | |
|---|--------------------------------|
| Dimensions | |
| Width (a) | 6 mm |
| Ambient conditions | |
| Ambient temperature (operation) | -40 °C ... 100 °C |
| General | |
| Color | orange |
| Components | free from silicone and halogen |
| Inflammability class according to UL 94 | V2 |
| Material | PA |

| | |
|-------------------------------------|------------------------------|
| Wipe resistance | DIN EN 61010-1 (VDE 0411-1) |
| Number of individual labels | 10 |
| Number of individual labels per row | 10 |
| Number of marker strips | 10 |
| Marking mounting type | Snap into tall marker groove |

Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;